




# TikiLIVE White-Label STB



TikiLIVE STB includes a fully featured and integrated modular software stack. For service providers that have existing infrastructures, whether broadband, fibre, or terrestrial, the TikiLIVE STB allows you to leverage that investment and exploit new opportunities with a low cost and time on integration.

Build with latest technologies, sporting a compact yet beautifully simple design, the TikiLIVE STB can integrate easily in any IPTV based network with future expansion in mind, as support for CLOUD based computing, HTML 5 and CSS 3.0, full 1080p, and an extendable IR receiver means that the TikiLIVE STB can be placed anywhere for any use.



## DRM (Digital Rights Management)



# Features

Features
AML, ARM Cortex A9*4, Quad Core Mali-450MP GPU, frequency is 2.0 GHz
RAM is 1GB/2GB, built in 8G/16GB flash memory
Powered by Android 4.4 OS
Built in browser and support virtual private network access
RJ45 10/100M Ethernet interface
Support 4K, 2K video local media playback from SD card or USB HDD
Build in 802.11 b/g/n WiFi module with antenna inside
Rj45: Wired internet connection
HDMI video output, connect to HDTV for HD video playback
2 external USB interfaces, support mobile HDD, support mouse and keyboard operating
Support weather, calendar, and desktop clock gadgets
Support USB mouse and keyboard operation
Support simple IR remote control with mouse function
Support music player, picture player and more family entertainment
Support Micro SD card
Support Google Chrome browser
AppInstaller for application installation from USB/SD

# Specifications

Certification	
Certified as UL, CE, EU, FCC	

System	
CPU	Quad Core Cortex A9
Frequency	2.0GHz
RAM	DDR3-1G/2G
ROM	EMMC 8GB/16GB
OS	Android 4.4
UI	Android 4.4 system and Media launcher
Browser	Google Chrome browser
Media Player	Local video playback (Mpeg1/2/4, H.264, VC-1, WMV, AVI, MKV, MOV)
Online Video	Access to internet, online video playing
Music	MP3, WAV, WMA music playback
Online Music	Access to internet, online music playing
Picture viewer	Support multi formats: BMP, JPG, TIF, PNG, GIF
Software update	Support SD card for software update
External storage	Micro-SD card, USB storage support

Interface Definition and Parameter	
USB	Support 2 external USB HOST, USB 2.0
SD Card	1XMicro SD Slot and up to 32GB
Rj45	Wired internet connection
HDMI	HDMI 1.4 and AV output
Remote Control	Motion remote with IR learning functions
Voltage	5.0V/2A DC

Dimension	
Resolution	4K, 2K
Product Size	100mm(L) * 100mm(W) * 15mm(T)
Weight	160g
Power Consumption	4 Watts
Remote Distance	8 Meters Visual

## System Requirements

System Requirements
TV with HDMI in
For WiFi Router with preferrably N support at least G support